



YONGKANG MEIXUAN POWER TOOLS CO., LTD

ADD
Floor2, No.6,xizhou road, Chengxi industrial Zone,
yongkang City.

TEL
+86-579-8711 0299

FAX
+86-579-8711 1516

E-mail
Sales@mxpolisher.com zhiling@mxpolisher.com

WEB
www.meixuantools.com



DUAL ACTION
POLISHER

COMPANY PROFILE

Yongkang meixuan electric tools co., LTD., located in yongkang, zhejiang province, the capital of hardware, is a professional manufacturer of automobile polishing and beauty electric tools that integrates design, development, manufacture and sales. It owns several major brands of auto beauty tools such as HengHao and Platypus. On the road of development, our company adheres to the business philosophy of "use with reassurance, service with heart", and constantly improves and surpasses it. To achieve the whole-process control of quality assurance from production to sales to after-sales service, while meeting the work requirements of the majority of customers, the company integrates the great enthusiasm and professional ability of the enterprise, and creates a win-win situation together with customers. Integrity is our principle, high quality is our direction, customer satisfaction is our goal.





FEATURES

- Powerful 1000-watt motor, effectively removes defects quicker
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable



8081 Dual Action Polisher

Spec.

125-150 mm Disc Size	8 mm Eccentric distance	110V / 60Hz 230V / 50Hz Rated Voltage	1000 W Rated Input Power	2600-6800 /min No load speed
-----------------------------------	--------------------------------------	---	---------------------------------------	---



Package

Color box 4PCS/CTNS 46x34x34cm/CTN G.W:16KGS



FEATURES

- Powerful 1000-watt motor, effectively removes defects quicker
- Long throw orbital effective polishing
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable



8121 Dual Action Polisher

Spec.

125-150 mm Disc Size	12 mm Eccentric distance	110V / 60Hz 230V / 50Hz Rated Voltage	1000 W Rated Input Power	1800-4800 /min No load speed
-----------------------------------	---------------------------------------	---	---------------------------------------	---



Package

Color box 4PCS/CTNS 46x34x34cm/CTN G.W:16KGS

Description

- Powerful 1000-watt motor, effectively removes defects quicker
- Long throw orbital effective polishing
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable



9211 Dual Action Polisher

Spec.

125-150 mm Disc Size	21 mm Eccentric distance	110V / 60Hz 230V / 50Hz Rated Voltage	1000 W Rated Input Power	1800-4800 /min No load speed
-----------------------------------	---------------------------------------	---	---------------------------------------	---



Package

Color box 4PCS/CTNS 46x34x34cm/CTN G.W:16KGS



FEATURES

- Powerful 1000-watt motor, effectively removes defects quicker
- Long throw orbital effective polishing
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable

8151 Dual Action Polisher



Spec.

125-150
mm
Disc Size

15
mm
Eccentric distance

110V/60Hz
230V/50Hz
Rated Voltage

1000
W
Rated Input Power

1800-4800
/min
No load speed



Package

Color box

4PCS/CTNS

46x34x34cm/CTN

G.W:16KGS

Description

- Powerful 1000-watt motor, effectively removes defects quicker
- Long throw orbital effective polishing
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable

8211 Dual Action Polisher



Spec.

125-150
mm
Disc Size

21
mm
Eccentric distance

110V/60Hz
230V/50Hz
Rated Voltage

1000
W
Rated Input Power

1800-4800
/min
No load speed



Package

Color box

4PCS/CTNS

46x34x34cm/CTN

G.W:16KGS



FEATURES

- Powerful 900-watt motor, effectively removes defects quicker
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable

8082 Dual Action Polisher



Spec.

125-150
mm
Disc Size

8
mm
Eccentric distance

110V/60Hz
230V/50Hz
Rated Voltage

900
W
Rated Input Power

2600-6800
/min
No load speed



Package

Color box

4PCS/CTNS

42x34x34cm/CTN

G.W:14KGS

Description

- Powerful 900-watt motor, effectively removes defects quicker
- Long throw orbital effective polishing
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable

8122 Dual Action Polisher



Spec.

125-150
mm
Disc Size

12
mm
Eccentric distance

110V/60Hz
230V/50Hz
Rated Voltage

900
W
Rated Input Power

1800-4800
/min
No load speed



Package

Color box

4PCS/CTNS

42x34x34cm/CTN

G.W:14KGS



FEATURES

- Powerful 1000-watt motor, effectively removes defects quicker
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable



9081 Dual Action Polisher

Spec.

125-150 mm Disc Size	8 mm Eccentric distance	110V/60Hz 230V/50Hz Rated Voltage	1000 W Rated Input Power	2600-6800 /min No load speed
-----------------------------------	--------------------------------------	---	---------------------------------------	---



Package

Color box 4PCS/CTNS 46x34x34cm/CTN G.W:16KGS



FEATURES

- Powerful 1000-watt motor, effectively removes defects quicker
- Long throw orbital effective polishing
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable



9121 Dual Action Polisher

Spec.

125-150 mm Disc Size	12 mm Eccentric distance	110V/60Hz 230V/50Hz Rated Voltage	1000 W Rated Input Power	1800-4800 /min No load speed
-----------------------------------	---------------------------------------	---	---------------------------------------	---



Package

Color box 4PCS/CTNS 46x34x34cm/CTN G.W:16KGS

Description

- Powerful 1000-watt motor, effectively removes defects quicker
- Long throw orbital effective polishing
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable



9151 Dual Action Polisher

Spec.

125-150 mm Disc Size	15 mm Eccentric distance	110V/60Hz 230V/50Hz Rated Voltage	1000 W Rated Input Power	1800-4800 /min No load speed
-----------------------------------	---------------------------------------	---	---------------------------------------	---



Package

Color box 4PCS/CTNS 46x34x34cm/CTN G.W:16KGS



FEATURES

- Powerful 900-watt motor, effectively removes defects quicker
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable

9082 Dual Action Polisher



Spec.

125-150 mm Disc Size	8 mm Eccentric distance	110V/60Hz 230V/50Hz Rated Voltage	900 W Rated Input Power	2600-6800 /min No load speed
-----------------------------------	--------------------------------------	---	--------------------------------------	---



Package

Color box	4PCS/CTNS	42x34x34cm/CTN	G.W:14KGS
-----------	-----------	----------------	-----------

Description

- Powerful 900-watt motor, effectively removes defects quicker
- Long throw orbital effective polishing
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable

9122 Dual Action Polisher



Spec.

125-150 mm Disc Size	12 mm Eccentric distance	110V/60Hz 230V/50Hz Rated Voltage	900 W Rated Input Power	2600-6800 /min No load speed
-----------------------------------	---------------------------------------	---	--------------------------------------	---



Package

Color box	4PCS/CTNS	42x34x34cm/CTN	G.W:14KGS
-----------	-----------	----------------	-----------



FEATURES

- 6 variable speed control
- Even at high load conditions to maintain rated speed
- Professional long-term continuous polishing operation.
- Slim body design for human engineering

580I Rotary Polisher



Spec.

125-150 mm Disc Size	110V/60Hz 230V/50Hz Rated Voltage	1000 W Rated Input Power	800-3300 /min No load speed
-----------------------------------	---	---------------------------------------	--



Package

Color box	4PCS/CTNS	46x34x34cm/CTN	G.W:16KGS
-----------	-----------	----------------	-----------

Description

- 6 variable speed control
- Even at high load conditions to maintain rated speed
- Professional long-term continuous polishing operation.
- Slim body design for human engineering

590I Rotary Polisher



Spec.

125-150 mm Disc Size	110V/60Hz 230V/50Hz Rated Voltage	1000 W Rated Input Power	800-3300 /min No load speed
-----------------------------------	---	---------------------------------------	--



Package

Color box	4PCS/CTNS	46x34x34cm/CTN	G.W:16KGS
-----------	-----------	----------------	-----------



FEATURES

- Powerful 900-watt motor, effectively removes defects quicker
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable



6081 Dual Action Polisher

Spec.

125-150 mm Disc Size	8 mm Eccentric distance	110V/60Hz 230V/50Hz Rated Voltage	900 W Rated Input Power	2600-6800 /min No load speed
-----------------------------------	--------------------------------------	---	--------------------------------------	---



Package

Color box

4PCS/CTNS

46x34x34cm/CTN

G.W:16KGS

Description

- Powerful 900-watt motor, effectively removes defects quicker
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable



6082 Dual Action Polisher

Spec.

125-150 mm Disc Size	8 mm Eccentric distance	110V/60Hz 230V/50Hz Rated Voltage	900 W Rated Input Power	2600-6800 /min No load speed
-----------------------------------	--------------------------------------	---	--------------------------------------	---



Package

Color box

4PCS/CTNS

42x34x34cm/CTN

G.W:14KGS



FEATURES

- Powerful 780-watt motor, effectively removes defects quicker
- Long throw orbital effective polishing
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable



WS-15 Dual Action Polisher

Brushless motor



Spec.

125 mm Disc Size	15 mm Eccentric distance	110V/60Hz 230V/50Hz Rated Voltage	780 W Rated Input Power	2000-4800 /min No load speed
-------------------------------	---------------------------------------	---	--------------------------------------	---

Package

Color box

4PCS/CTNS

42x34x34cm/CTN

G.W:14KGS

Description

- Powerful 780-watt motor, effectively removes defects quicker
- Long throw orbital effective polishing
- Soft start with constant speed system
- CNC machined counterweight
- Setting with 6 speed control
- More soft Grip, Comfortable



WS-21 Dual Action Polisher

Brushless motor



Spec.

150 mm Disc Size	21 mm Eccentric distance	110V/60Hz 230V/50Hz Rated Voltage	780 W Rated Input Power	2000-4800 /min No load speed
-------------------------------	---------------------------------------	---	--------------------------------------	---

Package

Color box

4PCS/CTNS

42x34x34cm/CTN

G.W:14KGS

5001 Rotary Polisher



5002 Rotary Polisher



5003 Rotary Polisher



Spec.

180 mm Disc Size	110V/60Hz 230V/50Hz Rated Voltage	1200 W Rated Input Power	800-3000 /min No load speed
-------------------------------	---	---------------------------------------	--

Package

Color box	4PCS/CTNS	48x40x32cm/CTN	G.W:18KGS
-----------	-----------	----------------	-----------

Annex




MX-001
Size: Φ 125x30mm



MX-002
Size: Φ 150x35mm



MX-003
Size: Φ 125x10mm



MX-004
Size: Φ 180x30mm



MX-005
Size: 7" (180mm)



MX-006
Size: 6" (150mm)



MX-007
Size: 5" (125mm)



MX-008
Size: 5" (125mm)



MX-009
Size: 5" (125mm)



MX-010
Size: 6" (150mm)



MX-011
Size: 3" (75mm)



MX-012
Size: 6" (150mm)



MX-013
Material: 80%Polyester
20%Polyamide



MX-014
Material: 80%Polyester
20%Polyamide



MX-015
Material: 600D



MX-016
Material: 600D